	Application No.	Applicant(s)	
	10/650,415	JUNG ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Asok K. Sarkar	2829	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED ir or other appropriate commu GHTS. This application is s	n this application. If not includunication will be mailed in due	ed course. THIS
1. This communication is responsive to <u>amendment filed 9/27/2004</u> .			
2. The allowed claim(s) is/are 1-3 and 6-31.			
3. 🔀 The drawings filed on 29 August 2003 are accepted by the Examiner.			
4. Acknowledgment is made of a claim for foreign priority un a) □ All b) □ Some* c) □ None of the: 1. □ Certified copies of the priority documents have 2. □ Certified copies of the priority documents have 3. □ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM	been received. been received in Application cuments have been received	on No d in this national stage applica	
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			NOTICE OF
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the sheet. Replacement sheet(s) should be labeled as such in the deposate of the same of the same of the sheet of the sheet of the same o	on's Patent Drawing Review Amendment / Comment on S4(c)) should be written on the header according to 37 CF sit of BIOLOGICAL MATI	r in the Office action of the drawings in the front (not the R 1.121(d). ERIAL must be submitted.	
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIC	DLOGICAL MATERIAL.	
1. Notice of References Cited (PTO-892)	5. Notice of In	formal Patent Application (PT	O-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		terview Summary (PTO-413), Paper No./Mail Date	
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date Examiner's Comment Regarding Requirement for Deposit 	8), 7. \(\sum \) Examiner's	Amendment/Comment Statement of Reasons for Alle	owance
of Biological Material	9. 🗌 Other	_ .	

Application/Control Number: 10/650,415

Art Unit: 2829

been inserted.

DETAILED ACTION

Page 2

Response to Amendment

1. Applicant's explanation of the instant invention in pointing the difference with the cited prior art was found to be persuasive.

EXAMINER'S AMENDMENT

- 2. The Applicant's representative was contacted to amend the independent claims so that the claims are allowable over prior art.
- 3. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert N. Crouse on October 15, 2004.

The application has been amended as follows:

In claim 1, line 6, following the phrase "zirconium oxide layer", - - directly - - has been inserted.

In claim 6, line 1, "claim 5" has been deleted and - - claim 1 - - has been inserted.

In claim 7, line 1, "claim 5" has been deleted and - - claim 1 - - has been inserted.

In claim 8, line 6, following the phrase "zirconium oxide layer", - - directly - - has

In claim 14, line 6, following the phrase "zirconium oxide layer", - - directly - - has been inserted.

Application/Control Number: 10/650,415 Page 3

Art Unit: 2829

In claim 21, line 6, following the phrase "zirconium oxide layer", - - directly - - has been inserted.

In claim 31, line 6, following the phrase "zirconium oxide layer", - - directly - - has been inserted.

Allowable Subject Matter

- 4. Claims 1 3 and 6 31 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

Claims 1 – 3 and 6 – 31 recite, inter alia, a method of treating a high dielectric layer by nitriding a multi-layered nano laminate formed by forming a hafnium oxide layer or a zirconium oxide layer directly on the substrate and then forming a Group 3 metal oxide layer on it. The art of record does not disclose or anticipate the above limitation in combination with other claim elements nor would it be obvious to modify the art of record so as to form a device including the above limitation.

Conclusion

- 6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Asok K. Sarkar whose telephone number is 571 272 1970. The examiner can normally be reached on Monday Friday (8 AM- 5 PM).

Application/Control Number: 10/650,415 Page 4

Art Unit: 2829

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Tokar can be reached on 571 272 1812. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Asok K. Sarkar October 15, 2004

Patent Examiner